ET 2002 AUTHOR & TITLE INDEX

Arola, D., Fatigue and Proof Testing of an Aircraft Auxiliary Fuel Tank, 19-23, Sep/Oct.

Bhonsale, S., Fatigue and Proof Testing of an Aircraft Auxiliary Fuel Tank, 19-23, Sep/Oct.

Bloss, B., Measurement of Damping of Automotive Window Glass Panels, 30-32, May/Jun.

Browne, A.L., Dynamic Crush Tests Using a "Free-Flight" Drop Tower: Theory, Automotive Application Series: Part 1, 43-46, Sep/Oct.

Browne, A.L., Dynamic Crush Tests Using a "Free-Flight" Drop Tower: Practical Aspects, Automotive Application Series, 47-49, Nov/Dec.

Carter, D., A Cost-Effective Educational Pendulum for Impact Experiments, an Education Note, 17-19, Mar/Apr.

Chen, Z., A Cost-Effective Educational Pendulum for Impact Experiments, an Education Note, 17-19, Mar/Apr.

Chen, P.S., Stereovision for Visual Enhancement in Modal Analysis, 19-23, Jul/Aug.

Chen, S.-E., Modal Testing of an AVLB Bridge, 43-46, Nov/Dec.

Chen, S.-E., Stereovision for Visual Enhancement in Modal Analysis, 19-23, Jul/Aug.

Chiou, D., Influences of Material Source, Wafer Process and Location on Silicon Die Fracture Strength, 29-35, Nov/Dec.

Cho, S., Observing Real-time Thermal Deformations in Electronic Packaging, 25-29, May/Jun.

Cho, S., Observing Real-time Thermal Deformations in Electronic Packaging, 25-29, May/Jun.

Chu, T., An Economical Vision-based Method to Obtain Whole-field Deformation Profiles, 25-28, Nov/Dec.

Chung, C., Influences of Material Source, Wafer Process and Location on Silicon Die Fracture Strength, 29-35, Nov/Dec.

Cloud, G., Real-time Digital Speckle Interferometry to Measure Crack Length, 19-21, Jan/Feb.

Cloud, G., Unifying Concepts in Teaching Optical Methods, 31-34, Mar/Apr.

Crayon, D., Coatings Evaluation Using A Vented Combustor, 24-27, Jul/Aug.

DeRoover, C., Deformation Analysis of a Modular Connection System by Digital Image Correlation, 37-40, Nov/Dec.

d'Errico, F., Elastomer and Resin Replicas for SEM Observation of Metallic Materials, 33-37, May/Jun.

Ding, X., Real-time Digital Speckle Interferometry to Measure Crack Length, 19-21, Jan/Feb.

El-Ratal, W., Combined Simulation and Experiment in Automotive Testing with ESPI Measurement, Technology Applications: Part 1, 42-47, May/Jun.

Ettemeyer, A., Combined Simulation and Experiment in Automotive Testing with ESPI Measurement, Technology Applications: Part 1, 42-47, May/Jun.

Farquhar, T., Fatigue and Proof Testing of an Aircraft Auxiliary Fuel Tank, 19-23, Sep/Oct.

Fish, A.E., Coatings Evaluation Using A Vented Combustor, 24-27, Jul/Aug.

Galanulis, K., Biomechanics Deformation and Strain Measurements with 3D Image Correlation Photogrammetry, 39-42, Sep/Oct.

GangaRao, H., Modal Testing of an AVLB Bridge, 43-46, Nov/Dec.

Gloeckner, P.J., An Overview of Obtaining Quantitative Pressure Distribution and Loads from Pressure-Sensitive Files, 27-30, Jan/Feb.

Go, C.G., Development of Accumulated Semi-active Hydraulic Damper, 29-32, Sep/Oct.

Gruenberg, S., Measurement of Equivalent Stiffness and Damping of Shock Absorbers, 39-42, Mar/Apr.

Han, B., Observing Real-time Thermal Deformations in Electronic Packaging, 25-29, May/Jun.

Huang, M., Influences of Material Source, Wafer Process and Location on Silicon Die Fracture Strength, 29-35, Nov/Dec.

Hunt, M.O., Transverse Vibration Technique to Identify Deteriorated Wood Floor Systems, 28-30, Jul/Aug.

Husain, A., Design of a Simple, Versatile, Small-Specimen Punch Test Setup for Determination of the Mechanical Behavior of Materials, 33-38, Sep/Oct.

Hyland, E., Coatings Evaluation Using A Vented Combustor, 24-27, Jul/Aug.

Jain, S.C., Fiber Optic Technique for Sensing Temperature, Contamination and Layer Thickness of Immiscible Liquids, 36-38, Mar/Apr.

Precision Acoustical Measurements Measurement Microphones

Acoustical measurements are only as good as the mic. ACO Pacific's **Type 1 "Alternative"** family of mics, **ACOustical Interface™, Simple Intensity™ Systems rank with the best.** A full line of microphones, preamps and accessories are featured.The **PS9200KIT** and **SI7KIT** offer **complete measurement mic system solutions.** Our **"Very Random"™** Noise Generator, and the NEW **PC9200** ISA bus Precision Microphone interface round out the product line.

ACO Pacific, Inc

2604 Read Ave., Belmont, CA 94002, USA
Tel: (650) 595-8588 FAX: (650) 591-2891
e-mail: acopac@acopacific.com

ACOustics Begins With ACO™

PIEZOELECTRIC VIBRATION SENSORS

Broad Range of Models for:

- Industrial Monitoring
- Environmental Stress Screening (ESS)
- Vibration Table Control
- Modal Analysis
- Laboratory / R&D

FREE Catalog

CALL: 818-700-7818
FAX: 818-700-7880

Web Site: www.dytran.com
E-Mail: info@dytran.com

DYTRAN INSTRUMENTS, INC.
21592 MARILLA STREET
CHATSWORTH, CA 91311

ET 2002 AUTHOR & TITLE INDEX

Arola, D., Fatigue and Proof Testing of an Aircraft Auxiliary Fuel Tank, 19-23, Sep/Oct.

Bhonsale, S., Fatigue and Proof Testing of an Aircraft Auxiliary Fuel Tank, 19-23, Sep/Oct.

Bloss, B., Measurement of Damping of Automotive Window Glass Panels, 30-32, May/Jun.

Browne, A.L., Dynamic Crush Tests Using a "Free-Flight" Drop Tower: Theory, Automotive Application Series: Part 1, 43-46, Sep/Oct.

Browne, A.L., Dynamic Crush Tests Using a "Free-Flight" Drop Tower: Practical Aspects, Automotive Application Series, 47-49, Nov/Dec.

Carter, D., A Cost-Effective Educational Pendulum for Impact Experiments, an Education Note, 17-19, Mar/Apr.

Chen, Z., A Cost-Effective Educational Pendulum for Impact Experiments, an Education Note, 17-19, Mar/Apr.

Chen, P.S., Stereovision for Visual Enhancement in Modal Analysis, 19-23, Jul/Aug.

Chen, S.-E., Modal Testing of an AVLB Bridge, 43-46, Nov/Dec.

Chen, S.-E., Stereovision for Visual Enhancement in Modal Analysis, 19-23, Jul/Aug.

Chiou, D., Influences of Material Source, Wafer Process and Location on Silicon Die Fracture Strength, 29-35, Nov/Dec.

Cho, S., Observing Real-time Thermal Deformations in Electronic Packaging, 25-29, May/Jun.

Cho, S., Observing Real-time Thermal Deformations in Electronic Packaging, 25-29, May/Jun.

Chu, T., An Economical Vision-based Method to Obtain Whole-field Deformation Profiles, 25-28, Nov/Dec.

Chung, C., Influences of Material Source, Wafer Process and Location on Silicon Die Fracture Strength, 29-35, Nov/Dec.

Cloud, G., Real-time Digital Speckle Interferometry to Measure Crack Length, 19-21, Jan/Feb.

Cloud, G., Unifying Concepts in Teaching Optical Methods, 31-34, Mar/Apr.

Crayon, D., Coatings Evaluation Using A Vented Combustor, 24-27, Jul/Aug.

DeRoover, C., Deformation Analysis of a Modular Connection System by Digital Image Correlation, 37-40, Nov/Dec.

d'Errico, F., Elastomer and Resin Replicas for SEM Observation of Metallic Materials, 33-37, May/Jun.

Ding, X., Real-time Digital Speckle Interferometry to Measure Crack Length, 19-21, Jan/Feb.

El-Ratal, W., Combined Simulation and Experiment in Automotive Testing with ESPI Measurement, Technology Applications: Part 1, 42-47, May/Jun.

Ettemeyer, A., Combined Simulation and Experiment in Automotive Testing with ESPI Measurement, Technology Applications: Part 1, 42-47, May/Jun.

Farquhar, T., Fatigue and Proof Testing of an Aircraft Auxiliary Fuel Tank, 19-23, Sep/Oct.

Fish, A.E., Coatings Evaluation Using A Vented Combustor, 24-27, Jul/Aug.

Galanulis, K., Biomechanics Deformation and Strain Measurements with 3D Image Correlation Photogrammetry, 39-42, Sep/Oct.

GangaRao, H., Modal Testing of an AVLB Bridge, 43-46, Nov/Dec.

Gloeckner, P.J., An Overview of Obtaining Quantitative Pressure Distribution and Loads from Pressure-Sensitive Files, 27-30, Jan/Feb.

Go, C.G., Development of Accumulated Semi-active Hydraulic Damper, 29-32, Sep/Oct.

Gruenberg, S., Measurement of Equivalent Stiffness and Damping of Shock Absorbers, 39-42, Mar/Apr.

Han, B., Observing Real-time Thermal Deformations in Electronic Packaging, 25-29, May/Jun.

Huang, M., Influences of Material Source, Wafer Process and Location on Silicon Die Fracture Strength, 29-35, Nov/Dec.

Hunt, M.O., Transverse Vibration Technique to Identify Deteriorated Wood Floor Systems, 28-30, Jul/Aug.

Husain, A., Design of a Simple, Versatile, Small-Specimen Punch Test Setup for Determination of the Mechanical Behavior of Materials, 33-38, Sep/Oct.

Hyland, E., Coatings Evaluation Using A Vented Combustor, 24-27, Jul/Aug.

Jain, S.C., Fiber Optic Technique for Sensing Temperature, Contamination and Layer Thickness of Immiscible Liquids, 36-38, Mar/Apr.

Precision Acoustical Measurements Measurement Microphones

Acoustical measurements are only as good as the mic. ACO Pacific's **Type 1 "Alternative"** family of mics, **ACOustical Interface™, Simple Intensity™ Systems rank with the best.** A full line of microphones, preamps and accessories are featured.The **PS9200KIT** and **SI7KIT** offer **complete measurement mic system solutions.** Our **"Very Random"™** Noise Generator, and the NEW **PC9200** ISA bus Precision Microphone interface round out the product line.

ACO Pacific, Inc

2604 Read Ave., Belmont, CA 94002, USA
Tel: (650) 595-8588 FAX: (650) 591-2891
e-mail: acopac@acopacific.com

ACOustics Begins With ACO™

PIEZOELECTRIC VIBRATION SENSORS

Broad Range of Models for:

- Industrial Monitoring
- Environmental Stress Screening (ESS)
- Vibration Table Control
- Modal Analysis
- Laboratory / R&D

FREE Catalog

CALL: 818-700-7818
FAX: 818-700-7880

Web Site: www.dytran.com
E-Mail: info@dytran.com

DYTRAN INSTRUMENTS, INC.
21592 MARILLA STREET
CHATSWORTH, CA 91311

ET 2002 AUTHOR & TITLE INDEX

Johnson, N.L., Dynamic Crush Tests Using a "Free-Flight" Drop Tower: Theory, Automotive Application Series: Part 1, 43-46, Sep/Oct.

Johnson, N.L., Dynamic Crush Tests Using a "Free-Flight" Drop Tower: Practical Aspects, Automotive Application Series, 47-49, Nov/Dec.

Katayama, T., Euler Buckling Test of Four-staged, 6 Meter-long Telescopic Cylinder-columns, 24-28, Sep/Oct.

Kostrzewsky, G.J., An Overview of Obtaining Quantitative Pressure Distribution and Loads from Pressure-Sensitive Files, 27-30, Jan/Feb.

Kugler, C., Non-Zero Mean Fatigue Testing of NiTi, Biomechanics Feature Series: Part 1, 37-38, Jan/Feb.

Leung, C., Stiffness Measurement of the External Polymeric Coating on an Optical Fiber - Innovative Measurement Techniques Series: Part 1, 51-56, Nov/Dec.

Liu, D., Influences of Material Source, Wafer Process and Location on Silicon Die Fracture Strength, 29-35, Nov/Dec.

Liu, C.T., An Economical Vision-based Method to Obtain Whole-field Deformation Profiles, 25-28, Nov/Dec.

Mahajan, A., An Economical Vision-based Method to Obtain Whole-field Deformation Profiles, 25-28, Nov/Dec.

Maji, A.K., Analytical Evaluation of the Feasibility of Shearography, 22-26, Jan/Feb.

Maskeliunas, R., Plotting Moire Fringes for Circular Structures from FEM Results, 31-35, Jan/Feb.

Messler, R. W., Coatings Evaluation Using A Vented Combustor, 24-27, Jul/Aug.

Mladenov, K.A., Euler Buckling Test of Four-staged, 6 Meter-long Telescopic Cylinder-columns, 24-28, Sep/Oct.

Moody, J., Modal Testing of an AVLB Bridge, 43-46, Nov/Dec.

Ni, C., Influences of Material Source, Wafer Process and Location on Silicon Die Fracture Strength, 29-35, Nov/Dec.

Ohtomo, T., Euler Buckling Test of Four-staged, 6 Meter-long Telescopic Cylinder-columns, 24-28, Sep/Oct.

Olson, N.G., Stiffness Measurement of the External Polymeric Coating on an Optical Fiber - Innovative Measurement Techniques Series: Part 1, 51-56, Nov/Dec.

Ottensmeyer, M.P., TeMPeST I-D: An Instrument for Measuring Solid Organ Soft Tissue Properties, Biomechanics Series: Part 2, 48-50, May/Jun.

Palin-Luc, T., Elastomer and Resin Replicas for SEM Observation of Metallic Materials, 33-37, May/Jun.

Pandey, R., Design of a Simple, Versatile, Small-Specimen Punch Test Setup for Determination of the Mechanical Behavior of Materials, 33-38, Sep/Oct.

Perry, K.E., Non-Zero Mean Fatigue Testing of NiTi, Biomechanics Feature Series: Part 1, 37-38, Jan/Feb.

Petro, S., Modal Testing of an AVLB Bridge, 43-46, Nov/Dec.

Ragulskis, M., Plotting Moire Fringes for Circular Structures from FEM Results, 31-35, Jan/Feb.

Ragulskis, L., Plotting Moire Fringes for Circular Structures from FEM Results, 31-35, Jan/Feb.

Raju, B.B., Real-time Digital Speckle Interferometry to Measure Crack Length, 19-21, Jan/Feb.

Rao, M.D., Measurement of Equivalent Stiffness and Damping of Shock Absorbers, 39-42, Mar/Apr.

Rao, M.D., Measurement of Damping of Automotive Window Glass Panels, 30-32, May/Jun.

Ross, R.J., Transverse Vibration Technique to Identify Deteriorated Wood Floor Systems, 28-30, Jul/Aug.

Schmidt, T., Biomechanics Deformation and Strain Measurements with 3D Image Correlation Photogrammetry, 39-42, Sep/Oct.

Sehgal, D.K., Design of a Simple, Versatile, Small-Specimen Punch Test Setup for Determination of the Mechanical Behavior of Materials, 33-38, Sep/Oct.

Seif, M.A., Determination of Residual Stresses in Thin-Walled Composite Cylinders, 43-46, Mar/Apr.

Sellier, E., Elastomer and Resin Replicas for SEM Observation of Metallic Materials, 33-37, May/Jun.

Shih, M.-H., Development of Accumulated Semi-active Hydraulic Damper, 29-32 Sep/Oct.

Shil, Y., Influences of Material Source, Wafer Process and Location on Silicon Die Fracture Strength, 29-35, Nov/Dec.

Isolation amplifiers, multiplexers, strain gage & accelerometer conditioners

Vibration amplifier—industrial installation

Computer-controlled amplifier—test lab rack installation

ENCORE ELECTRONICS designs and manufactures a broad range of signal conditioning amplifiers. Various packaging is offered, including DIN-mounted units, rack assemblies, modular and benchtop configurations.

Encore Electronics, Inc.

Brochures Available

4400 Route 50 • Saratoga Springs, NY 12866
PH: (518) 584-5354 • FX: (518) 584-5963
E-MAIL: info@encore-elec.com

www.encore-elec.com

Are your modal data suffering from low excitation forces?

The Xcite 1100 series of modal exciters deliver a full 1000 lbf preload plus a full 1000 lbf dynamic force at each spectral line!

Visit our website at **www.xcitesystems.com** to see the Xcite 1100-4 and 14 other high force linear, torsional and inertial modal exciters designed to deliver the forces your test deserves.



Xcite - the modal excitation of choice for non-linear, elastomeric and highly damped components and structures.

XCITE SYSTEMS CORPORATION

Xcite Systems Corporation | 675 Cincinnati Batavia Pike
Cincinnati, Ohio 45245 | Phone: 513.528.7170
Fax: 513.528.7190 | Email: info@xcitesystems.com

ET 2002 AUTHOR & TITLE INDEX

Short, S.R., Determination of Residual Stresses in Thin-Walled Composite Cylinders, 43-46, Mar/Apr.

Shull, L., Strain Gages for Extreme Temperatures, Dynamic Strain Measurement Feature Series: Part 5, 39-41, Jan/Feb.

Shull, L.C., Important Environments Associated with Dynamic Strain Measurements, Dynamic Strain Measurement Feature Series: Part 6, 51-52, May/Jun.

Shull, L.C., Two Conceptual Models Supporting the Data Validation Process, Dynamic Strain Measurement Feature Series: Part 7, 31-34, Jul/Aug.

Siebert, T., Combined Simulation and Experiment in Automotive Testing with ESPI Measurement, Technology Applications: Part 1, 42-47, May/Jun.

Singh, N., Fiber Optic Technique for Sensing Temperature, Contamination and Layer Thickness of Immiscible Liquids, 36-38, Mar/Apr.

Smith, R.L., Fatigue and Proof Testing of an Aircraft Auxiliary Fuel Tank, 19-23, Sep/Oct.

Soltis, L.A., Transverse Vibration Technique to Identify Deteriorated Wood Floor Systems, 28-30, Jul/Aug.

Sugiyama, Y., Euler Buckling Test of Four-staged, 6 Meter-long Telescopic Cylinder-columns, 24-28, Sep/Oct.

Sullivan, D., Fatigue and Proof Testing of an Aircraft Auxiliary Fuel Tank, 19-23, Sep/Oct.

Sung, W.-P., Development of Accumulated Semi-active Hydraulic Damper, 29-32, Sep/Oct.

Taerwe, L., Deformation Analysis of a Modular Connection System by Digital Image Correlation, 37-40, Nov/Dec.

Tyson, J., Biomechanics Deformation and Strain Measurements with 3D Image Correlation Photogrammetry, 39-42, Sep/Oct.

Vantomme, J., Deformation Analysis of a Modular Connection System by Digital Image Correlation, 37-40, Nov/Dec.

Venkatappa, S., Modal Testing of an AVLB Bridge, 43-46, Nov/Dec.

Wang, X., Transverse Vibration Technique to Identify Deteriorated Wood Floor Systems, 28-30, Jul/Aug.

Wang, X., Stiffness Measurement of the External Polymeric Coating on an Optical Fiber - Innovative Measurement Techniques Series: Part 1, 51-56, Nov/Dec.

Wasteils, J., Deformation Analysis of a Modular Connection System by Digital Image Correlation, 37-40, Nov/Dec.

Wegner, R., Combined Simulation and Experiment in Automotive Testing with ESPI Measurement, Technology Applications: Part 1, 42-47, May/Jun.

Wright, C.P., Strain Gages for Extreme Temperatures, Dynamic Strain Measurement Feature Series: Part 5, 39-41, Jan/Feb.

Wright, C.P., Important Environments Associated with Dynamic Strain Measurements, Dynamic Strain Measurement Feature Series: Part 6, 51-52, May/Jun.

Wright, C.P., Two Conceptual Models Supporting the Data Validation Process, Dynamic Strain Measurement Feature Series: Part 7, 31-34, Jul/Aug.

Alphabetical by Title

Analytical Evaluation of the Feasibility of Shearography, A.K. Maji, 22-26, Jan/Feb.

Biomechanics Deformation and Strain Measurements with 3D Image Correlation Photogrammetry, J. Tyson, T. Schmidt, K. Galanulis, 39-42, Sep/Oct.

Coatings Evaluation Using A Vented Combustor, D. Crayon, A.E. Fish, E. Hyland, R.W. Messler, 24-27, Jul/Aug.

Combined Simulation and Experiment in Automotive Testing with ESPI Measurement, Technology Applications: Part 1, T. Siebert, W. El-Ratal, R. Wegner, A. Ettemeyer, 42-47, May/Jun.

Cost-Effective Educational Pendulum for Impact Experiments, A, an Education Note, D. Carter, Z. Chen, 17-19, Mar/Apr.

Deformation Analysis of a Modular Connection System by Digital Image Correlation, C. DeRoover, J. Vantomme, J. Wasteils, L. Taerwe, 37-40, Nov/Dec.

Design of a Simple, Versatile, Small-Specimen Punch Test Setup for Determination of the Mechanical Behavior of Materials, D.K. Sehgal, A. Husain, R. Pandey, 33-38, Sep/Oct.

Extensometers

Strain measurement for materials testing



Work with nearly all brands of testers

27 models cover all common tests

- Travel ranges from 1% to 2000% strain
- Gage lengths from 0.125 to 10+ inches (3 to 250+ mm)
- Temperature ranges from -265 to 1600°C
- Also laser extensometer

Epsilon Technology Corp

3975 South Highway 89 Jackson, WY 83001 USA Fax 307 733-8375

307 733-8360 or www.epsilontech.com

COHERENT OPTICAL NDT

CONFIGURATIONS:

- HOLOGRAPHY
- SHEAROGRAPHY
- SPECKLE CORRELATION
- PROJECTED FRINGE MOIRÉ

CAPABILITIES:

- Real-Time Phase Step Imaging
- Full Field Vibration Mode Display
- Instantaneous Static Load Analysis
- Live Jo, Cosine, or Phase Fringes
- Robust Phase Unwrap Program
- Point-and-Shoot Configuration

Karl Stetson Associates, LLC
2060 South Street, Coventry, CT 06238
Tel: 860/742-8414, Fax: 860/742-6549
Email: kstetson@pcholo.com
www.pcholo.com

ET 2002 AUTHOR & TITLE INDEX

Determination of Residual Stresses in Thin-Walled Composite Cylinders, M.A. Seif, S.R. Short, 43-46, Mar/Apr.

Development of Accumulated Semi-active Hydraulic Damper, M.-H. Shih, W.-P. Sung, C.G. Go, 29-32, Sep/Oct.

Dynamic Crush Tests Using a "Free-Flight" Drop Tower: Practical Aspects, Automotive Application Series, N.L. Johnson, A.L. Browne, 47-49, Nov/Dec.

Dynamic Crush Tests Using a "Free-Flight" Drop Tower: Theory, Automotive Application Series: Part 1, A.L. Browne, N.L. Johnson, 43-46, Sep/Oct.

Economical Vision-based Method to Obtain Whole-field Deformation Profiles, An, T. Chu, A. Mahajan, C.T. Liu, 25-28, Nov/Dec.

Elastomer and Resin Replicas for SEM Observation of Metallic Materials, T. Palin-Luc, E. Sellier, F. d'Errico, M. Vanhaeren, 33-37, May/Jun.

Euler Buckling Test of Four-staged, 6 Meter-long Telescopic Cylinder-columns, T. Ohtomo, Y. Sugiyama, T. Katayama, K.A. Mladenov, 24-28, Sep/Oct.

Fatigue and Proof Testing of an Aircraft Auxiliary Fuel Tank, R.L. Smith, T. Farquhar, D. Arola, S. Bhonsale, D. Sullivan, 19-23, Sep/Oct.

Fiber Optic Technique for Sensing Temperature, Contamination and Layer Thickness of Immiscible Liquids, N. Singh, S.C. Jain, A.K. Aggarwal, 36-38, Mar/Apr.

Important Environments Associated with Dynamic Strain Measurements, Dynamic Strain Measurement Feature Series: Part 6, L.C. Shull, C.P. Wright, 51-52, May/Jun.

Influences of Material Source, Wafer Process and Location on Silicon Die Fracture Strength, D. Liu, Y. Shil, C. Ni, D. Chiou, M. Huang, 29-35, Nov/Dec.

Measurement of Damping of Automotive Window Glass Panels, B. Bloss, M.D. Rao, 30-32, May/Jun.

Measurement of Equivalent Stiffness and Damping of Shock Absorbers, M.D. Rao, S. Gruenberg, 39-42, Mar/Apr.

Modal Testing of an AVLB Bridge, S.-E. Chen, S. Petro, S. Venkatappa, H. GangaRao, J. Moody, 43-46, Nov/Dec.

Non-Zero Mean Fatigue Testing of NiTi, Biomechanics Feature Series: Part 1, K.E. Perry, C. Kugler, 37-38, Jan/Feb.

Observing Real-time Thermal Deformations in Electronic Packaging, S. Cho, S. Cho, B. Han, 25-29, May/Jun.

Overview of Obtaining Quantitative Pressure Distribution and Loads from Pressure-Sensitive Files, An, P.J. Gloeckner, G.J. Kostrzewsky, 27-30, Jan/Feb.

Plotting Moire Fringes for Circular Structures from FEM Results, M. Ragulskis, R. Maskeliunas, L. Ragulskis, 31-35, Jan/Feb.

Real-time Digital Speckle Interferometry to Measure Crack Length, G. Cloud, X. Ding, B.B. Raju, 19-21, Jan/Feb.

Stereovision for Visual Enhancement in Modal Analysis, S.-E. Chen, P.S. Chen, 19-23, Jul/Aug.

Stiffness Measurement of the External Polymeric Coating on an Optical Fiber - Innovative Measurement Techniques Series: Part 1, N.G. Olson, C. Leung, X. Wang, 51-56, Nov/Dec.

Strain Gages for Extreme Temperatures, Dynamic Strain Measurement Feature Series: Part 5, L. Shull, C.P. Wright, 39-41, Jan/Feb.

TeMPeST I-D: An Instrument for Measuring Solid Organ Soft Tissue Properties, Biomechanics Series: Part 2, M.P. Ottensmeyer, 48-50, May/Jun.

Transverse Vibration Technique to Identify Deteriorated Wood Floor Systems, R.J. Ross, X. Wang, M.O. Hunt, L.A. Soltis, 28-30, Jul/Aug.

Two Conceptual Models Supporting the Data Validation Process, Dynamic Strain Measurement Feature Series: Part 7, L.C. Shull, C.P. Wright, 31-34, Jul/Aug.

Unifying Concepts in Teaching Optical Methods, G. Cloud, 31-34, Mar/Apr.

Advertise in Experimental Techniques!

Contact
Joni Normandin
joninormandin007@aol.com
(203) 729-6275


PHAZER
Phazer — The Performance Heavyweight
Packing amazing capabilities into a handheld enclosure, the Nicolet Phazer makes any USB based computer an instrument-quality, real-time signal analyzer.
• Weighs only 8 ounces
• Two- and four-channel configurations
• 18-bit A/D per channel, 110dB Dynamic Range
• Powered from standard USB port
• Simultaneous real-time FFT and octave analysis
• Tachometer input for rotational and order analysis
Call 608-276-5600 for more info
Nicolet
TECHNOLOGIES
Nicolet Instrument Technologies
Fax: 608-327-6700
www.niti.com